

05/13/05 IFW

RONALD W. BURNS, P.C.

Protecting and Enforcing Intellectual Property Rights



May 12, 2005

VIA EXPRESS MAIL NO.: ER504916555US

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Re: Inventor: Nital S. Patel, et al.
Patent Application Entitled: VERSATILE SYSTEM FOR VARIANCE-BASED DATA
ANALYSIS
Application No.: 10/676,399

Docket No.: TI-36689
Our File No.: 12001-1225

Dear Sir:

Enclosed for filing please find the following items relating to the above-identified application:

1. Applicants' Response to Ex parte Quayle Office Action (5 pp.);
2. Two (2) sets of Formal Drawings (6 pp.); and
3. Return postcards (2).

Please file the above-referenced documents and return the date-stamped postcards as indicated. It is believed that no additional fees are due.

If you have any questions or comments concerning any of the above, please call the undersigned at your convenience. Otherwise, please accept the enclosed.

Sincerely,

Ronald W. Burns

Enclosures

cc: Cindy Dees (w/enclosures)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: PATEL, Nital S., et al.

Serial No.: 10/676,399

Filing Date: October 1, 2003

Examiner: NGHIEM, Michael P.

Art Unit: 2863

For: VERSATILE SYSTEM FOR
VARIANCE-BASED DATA ANALYSIS

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

CERTIFICATE OF MAILING

Date of Deposit: May 12, 2005

Express Mail Label No.: ER504916555US

I hereby certify that the paper listed below and attached hereto is being deposited with the United States Postal Service under Express Mail: "Post Office to Addressee" service on the date indicated above, in an envelope addressed to: Mail Stop Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Ronald W. Burns
Ronald W. Burns

APPLICANTS' RESPONSE TO EX PARTE QUAYLE ACTION

Dear Sir:

Applicants submit this Response to the Ex parte Quayle Office Action mailed April 11, 2005.

Applicants' Response comprises the following:

Amendments to the Specification, which begin on page 2 of this Response;

Substitute Drawings, which are addressed on page 3 of this Response, and two (2) sets of which are appended hereafter; and

Remarks/Arguments, which begin on page 4 of this Response.